## 2-sided Care Card: Standard and Pink Stain

America's leading source for vinyl-coated fabrics

## Vinyl Coated Fabrics (Acrylic or Napa Topcoat) **Cleaning and Care: Colors and Accent Vinyls**

Step 1: For light soiling, a solution of 10% household liquid dish soap in warm water, applied with a soft damp cloth. Rub gently and rinse with a water-dampened cloth.

Step 2: For heavy soiling, dampen a soft white cloth with a one-to-one(1:1) solution of \*Formula 409° and water or \*Fantastik® and water. Rub gently and rinse with a water-dampened cloth.

Step 3: For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach and 90% water). Rub gently and rinse with a water-dampened cloth to remove bleach concentration.

Do not use with alcohol-based cleaning agents!

A list of "Approved" cleaners can be found online at: http://spradlingvinyl.com/asset/docs/research/ApprovedCleaners.pdf

### All cleaning methods must be followed by a thorough rinse with clean warm water.

Failure to care for your vinyl properly, or use of improper cleaners, may void your warranty & damage your vinyl!

Certain household cleaners, powdered abrasives, steel wool, and industrial cleaners can cause damage and discoloration and are not recommended. Dry cleaning fluids and lacguer solvents should not be used as they will remove printed pattern and gloss. Waxes should be used with caution as many contain dyes or solvents that can permanently damage the protective

Suntan lotion, tree pollen, wet leaves, and some other products can contain dyes that stain permanently.

Do not clean with power washers, as they can generate 3500 PSI and could damage the surface of your interior. Do not use kerosene, gasoline, or acetone, as they will remove the protective marine top coat. Do not use any silicone-based protectants. They will extract the plasticizer, leaving vinyl hard and brittle, and eventually cracking will occur.

## Always remove stains immediately. **Upholstery must be kept CLEAN!**

The information published in this care guide refers to the performance of Spradling International Marine products in specific tests conducted under laboratory conditions. Results may vary under actual conditions.

This information is not a guarantee and does not relieve the user from the responsibility of the proper and safe use of the product and all cleaning agents. The use of certain agents can be harmful to the surface appearance and lifespan of vinyl. Spradling, its agents, and assigns assume no responsibility resulting from the use of such cleaning agents to the vinyl. Certain clothing and accessory dyes(such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible.

Formula 409° is a registered trademark of the Clorox Company.º Fantastik° is a trademark of DowBrands, Inc.º Trademark of the Dow Chemical Co.º "Fantastik & Formula 409 are safe to use if cleaner is diluted (1:1), then throughly rinsed and used following manufacturers' instructions.

©1997 Spradling International, Inc.®

Please check compatibility when using this product in combination with painted or varnished surfaces.



Find more vinyl cleaning & care information at: www.spradlingvinyl.com/sim or call the cleaning hotline at 1-800-247-9901

## **Beware of the Microorganisms!**

The two principal causes of offensive odors and unsightly stains and growths are bacteria and fungi, commonly called microorganisms. Bacteria are simple, single-celled



## **Break The Chain!**



To have a mildew problem you need four elements, which are referred to as the Mildew Square. In order for mildew to proliferate, spores, food, warmth, and moisture are necessary. Elimination of one of these elements would break the square, and the mildew problem would be eliminated. The most likely element to control is moisture. Keep a surface dry and the ambient air dry, and you can break the link in the Mildew Square. In actuality, this is very difficult. Marine upholstery may be dry when one sits on it, but it is constantly exposed to rain, splashes and wet bathing suits.

Additional Pink Stain/ Mildew information can be found at: http://spradlingvinyl.com/asset/docs/research/CFFA%20Mold%20and%20Mildew.pdf

## **Keep it Clean!**

To decrease risk of pink stain:

- Keep your boat free of dirt and debris, and upholstery as dry as possible.
- Clean frequently with mild soap and water, paying special attention to crevices.
- Always allow upholstery to dry completely!
- Cover the boat when not in use, allowing for adequate venting.

## Always remove stains immediately. **Upholstery must be kept CLEAN!**

The information published in this care guide was developed from the Chemical Fabrics & Film Association, Inc. Additional information can be found at http://spradlingvinyl.com/asset/docs/research/CFFA%20Mold%20and%20Mildew.pdf ©1997 Spradling International, Inc.®

This information is not a guarantee and does not relieve the user from the responsibility of the proper and safe use of the product and all cleaning agents. The use of certain agents can be harmful to the surface appearance and lifespan of vinyl. Spradling, its agents, and assigns assume no responsibility resulting from the use of such cleaning agents to the vinyl. Certain clothing and accessory dyes(such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible.



Find more vinyl cleaning & care information at: www.spradlingvinyl.com/sim or call the cleaning hotline at 1-800-247-9901

#### Care and Cleaning Guide for Vinyl Coated Fabrics

**Step I**: For light soiling, a solution of 10% household liquid dish soap in warm water, applied with a soft damp cloth. Run gently and rinse with a water dampened cloth.

**Step 2**: For heavy soiling, dampen a soft white cloth with a solution of 50% *Formula 409*° and 50% water or 50% *Fantastik*° and 50% water. Rub gently and rinse with a water dampened cloth.

**Step 3**: For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach and 90% water). Rub gently and rinse with a water dampened cloth to remove bleach concentration.

#### Do not use with alcohol based cleaning agents!

This information is not a guarantee and does not relieve the user from the responsibility of the proper and safe use of the product and all cleaning agents. The use of certain agents can be harmful to the surface appearance and lifespan of vinyl. Spradling, its agents and assigns assume no responsibility resulting from the use of such cleaning agents to the vinyl.

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible.

Formula 409° is a registered trademark of the Clorox Company.° Fantastik° is a trademark of DowBrands, Inc.° Trademark of the Dow Chemical Co.° © 1997 Spradling International, Inc.°

Please check compatibility when using this product in combination with painted or varnished surfaces

# APPROVED CLEANERS

		Finish   Topcoat					
Cleaner	Cleaner's Manufacturer	PERMA <b>BLOK³</b> ®	Ag SILVERGUARD® / SILVER ION TECHNOLOGY / PERMABLOK®®	Acrylic	Napa	PERMA <b>GUARD</b> ®	Digital/ PERMA <b>BLOK</b> 3®
303 Fabric/Vinyl Cleaner	303 Products, Inc.	•	٠	See Comment **	See Comment **	See Comment **	•
Ducky All Purpose Cleaner	Ducky Products, Inc.	•	Not Tested	٠	٠	Stain resistance property affected-not approved	•
Fantastik® Antibacterial All Purpose Cleaner Heavy Duty	S.C. Johnson & Son, Inc.	•	Not Tested	•	•	•	•
Formula 409® Anti- bacterial All-purpose cleaner	The Clorox Company	•	Not Tested	٠	٠	•	•
Lustrell Faux Leather Care Kit - Lustrell Regular Cleaner	Warwick Lustrell	٠	٠	٠	See Comment **	•	•
Virex II 256 - 1:256 Dilution	Diversey Inc.	•	٠	•	٠	•	•
Babe's Boat Care Wash	Babe's Boat Care Products	•	•	•	•	•	•
Bio Kleen Amazing	Bio Kleen Products Inc.	•	•	•	•	•	•
Dispatch - 1:10 Dilution	Caltech Industries Inc.	•	•	•	•	•	Discoloration Not Approved

Above cleaners recommended only if diluted per manufacturer's instructions

Topical cleaners must be wiped off with clean water and dried with a clean cloth following application

\*\*If not rinsed after direct contact, cleaner residue on surface caused slight color change\*\*